## WWW.HOLDEN.CO.UK

# TOOLS



Over the years, we have gathered various quality tools to aid you in your maintenance or restoration. It is always a good idea to carry a selection of fundamental tools in your car; for this, we have our bespoke range of beautiful handmade leather tool bags, top-quality leather made in England. We also offer tool rolls if you prefer this option.

## **TOOL ROLLS**





HOLDEN CANVAS TOOL ROLL Canvas tool roll with the Holden Logo. Holds up to 7 tools (Not included). Hand made in the UK Length: 700mm Width: 300mm

Brown **090.1004** 

Green 090.1007





HOLDEN CANVAS TOOL ROLL Canvas tool roll with the Holden logo. Holds up to 14 tools (Not included). Hand made in the UK Length: 700mm Width: 400mm

Green **090.1005** 

Brown 090.1006



CASTROL TOOL ROLL Canvas tool roll with 15 compartments and Castrol embroidered logo on the front 090.958



**TOOL ROLL** 

Durable 12 compartment Tool Roll or Tool Wrap.10 main storage pockets and 2 small tool loops. Blue water resistant polythene with securing ties. Size when open: 530mm x 290mm 090.040

VINTAGE & CLASSIC



LEATHER TOOL ROLL Brown leather 8 compartment tool roll or tool wrap. When open it is 340 mm long



LIGHTING

HEATERS & ELECTRIC FANS

ACCESSORIES

BODY HARDWARE

BRAKES & SUSPENSION

CLUTCH KITS

EXHAUSTS

FIXINGS

FUEL SYSTEMS & FILTERS

GAUGES

MIRRORS POWER

STEERING

SEAT BELTS WASHERS &

WIPERS OIL & AIR

CARE & STORAGE

OIL, GREASE & FLUIDS

PAINT & ANTI-RUST

TOOLS

305

# or own leather 8 compartment tool row wrap. When open it is 340 mm long

# **CAR LIFT**

## +44 (0) 1885 488 488

IGNITION WIRING HEATERS & ELECTRIC BODY HARDWARE BRAKES & SUSPENSION CLUTCH KITS EXHAUSTS FIXINGS FUEL SYSTEMS & FILTERS MIRRORS POWER STEERING SEATS & SEAT BELTS WASHERS & WIPERS OIL & AIR FILTERS CARE & STORAGE OIL, GREASE & FLUIDS PAINT &

LIGHTING

SWITCHES





https://www.youtube.com/ watch?v=rERxNMiSWnY

## **EZ CAR LIFT**

If you are looking for any practical advice, we have a large number of instructional videos on YouTube. In these videos, we demonstrate many of the products we stock, from the differences between them and advantages of using, to practical installation advice. (The video above shows ahow to use a EZ Car Lift.)

You can find all our videos on YouTube, search for our Holden Vintage & Classic channel.

- Made in the U.S.A. this lift is delivered to your door by carrier
- The individual parts are not too heavy, below 25kg (56 lbs)
- Assemble it and roll it under your car and it lifts 660mm (26in)
- When up the 4 legs allow you almost unobstructed access to the underside of vour car • Designed for maximum car weight of 2,000kg (4,400 lbs)

### 091.960

Part No. 091.960 includes the two side platforms, 1520mm long, that support the car









Part No. 091.960 provides everything you need except the Cross Spacers. Measure the width between the jacking points or other selected points on your chassis/body and select the appropriate cross spacer set from the list below. (If you have more than one car you may need more than one set)

**WINTAGE & CLASSIC** 

Cross Spacer Set - Working Range 500m to 810mm	091.962
Cross Spacer Set - Working Range 560mm to 890mm	091.974
Cross Spacer Set - Working Range 660mm to 970mm	091.964
Cross Spacer Set - Working Range 970mm to 1270mm	091.965

0

9

Cross Spacer Set - Working Range 1270mm to 1580mm	091.966
Cross Spacer Set - Working Range 1530mm to 1830mm	091.967
Cross Spacer Set - Working Range 1150mm to 1450mm	091.9101
Cross Spacer Set - Working Range 790mm to 1100mm	091.9120

## **CAR LIFT OPTIONAL EXTRAS**



#### EZ CAR LIFT RAMP EXTENSION KIT

The Ramp Extension Kit (REK) will extend the lift's ramps by 3 or 6 inches [8 or 15 cm]. This allows the lift to be used on vehicles with longer than 60 [152 cm] lifting points. If more length is needed a second set will add additional 6 inches increasing the lift's range to a total of 72 inches [183 cm] overall length. The length is adjustable in 3 inches [7 cm] increments







#### LIFT BLOCKS

These are for use on the top of the lift's rubber pads mainly to protect sill panels etc. They will also provide additional space (gap) between the lift and the vehicle. The extra space between the car and the lift could also be utilized for storing and organizing your tools on the lift's ramp, making your job safer and more pleasant since you won't have to look for tools scattered all over the area. The set consists of four (4) lift blocks mounted to 3.5mm thick powder coated steel base. The base is designed to fit perfectly over the lift's rubber pad. Protects the sill from damage and additional support at lifting points 091.990



#### MOVING CASTER KIT

its cross member

091.973

Comprises a set of four swivel casters, two of which have parking brakes on them. The phenolic casters are 15cm (6 in) diameter by 5cm (2 in) wide with roller bearings. They clip onto the legs of the lift and enable you to push the car around your garage. The casters can be left free to rotate 360 degrees or locked in the straight ahead or sideways positions. Useful for moving your car around such as from a storage area to a work area or to win space for an extra car in your garage. Then unclip them and use your lift without them

091.970



Ouality Electric Drill offered for use with our car lift 091.960, but also for all drilling jobs. Reversing facility for operating the lift, 4 functions - Drill. Hammer, Chisel and Chisel lock, Safety clutch, Depth rod. Supplied with adjustable side handle pointed chisel, flat chisel, 3 x drill bits and 2.2m cable with BS Plug

091.968



To operate the E-Z CAR LIFT simply roll it under the vehicle, then set the lift's pads under the lifting points of your car, insert an electric drill into the lift's drive and watch as all four wheels clear the floor in less than a minute - no heavy or multiple lifting required! When not in use the lift can be 'stood up' or hung on the wall. For a suitable electric drill see the above.



ANTI-RUST

TOOLS

# CAR LIFT



## ICE HOCKEY PUCKS FOR EZ CAR LIFT

The set consists of four (4) double stacks of Ice Hockey Pucks mounted to four (4) 10 GA (3.5mm) thick powder-coated steel bases. The double-stack creates a larger space between the vehicle and the lift. Typically used to avoid contact with objects in the vehicle's undercarriage (mufflers, gas tanks, etc.) which can be damaged or even crushed by the lift or





The Ground Clearance Kit is primarily used on vehicles with low ground clearance where the lift will barely roll under. The best application is on vehicles with low exhaust headers. The kit consists of two (2) low profile 20 inches [51 cm] long On Ramps and two (2) Wheel Blocks with Wheel Stops. All parts are made of brushed aluminum. The Ramps and the Wheel Blocks are 6 inches [15 cm] wide. The overall height is just 4 inches [10 cm], sufficient to clear any flange from a low header or provide sufficient height to freely roll the lift under the vehicle. Low headers are very typical on race cars, Cobras, Corvettes, GT 500s, and many of the hot rods. Typical low ground clearance vehicles like Porsches, Corvette Z series, Lotus, Nissan 350Z and all race cars. With 4.0 inches [10 cm] of height the kit could also be used as an Oil Change ramps. It should accommodate most cars

091.1003



### LIMITED SPACE KIT

This was developed specifically for single car garages, but also found application in the typical narrow or overcrowded garage. Allows the vehicle to drive over the low profile cross spacer (33mm high) instead of driving over the lift's 89mm high side platforms

091.971



## WALL HANGER

A simple and convenient way of storing your car lift vertically against the wall on custom made aluminium brackets when the lift is not in use. Make sure that you make a good job of fixing the two brackets to the wall!

091.975

LIGHTING

SWITCHES

IGNITION

WIRING

HEATERS & ELECTRIC FANS

RODY HARDWARE

BRAKES & SUSPENSION

CLUTCH KITS

EXHAUSTS

FIXINGS

FUEL SYSTEMS & FILTERS

MIRRORS

POWFR STEERING

SEATS & SEAT BELTS

WASHERS & WIPERS

OIL & AIR

CARE & STORAGE

OIL, GREASE & FLUIDS

PAINT & ANTI-RUST

# **FUNNELS & CANS**

## +44 (0) 1885 488 488

## WWW.HOLDEN.CO.UK

## **JERRY CANS**



**JERRY CAN 5 LITRES** IGNITION 125mm x 220mm x 275mm. UN WIRING Approved specification 091.675 HEATERS & ELECTRIC

LIGHTING

SWITCHES

BODY

HARDWARF

BRAKES &

SUSPENSION

CLUTCH KITS

EXHAUSTS

FIXINGS

FUEL

SYSTEMS &

FILTERS

MIRRORS

POWER

STEERING

SEATS &

SEAT BELTS

WASHERS &

WIPERS

OIL & AIR

FILTERS

CARE &

STORAGE

OIL, GREASE

& FLUIDS

PAINT &

TOOLS

ANTI-RUST



**JERRY CAN 10 LITRES** 130mm x 390mm x 280mm. UN Approved specification 091.676



**JERRY CAN 20 LITRES** 155mm x 465mm x 345mm. UN Approved Specification 091.677

090.375

090.376

090.377

090.378

SPOUTS Clip on flexible spout for jerry cans 091.675, 091.676 and 091.677 091.678

091.679



Clip on Rigid Spout for Jerry cans 091.675, 091.676 and 091.677



WHITWORTH/BSF COMBINATION

Budget quality 6-piece spanner set ring one end 3/16" to 1/2"Whitworth (<sup>1</sup>/4" to <sup>9</sup>/16"BSF) Chrome vanadium steel In a useful tool roll Spanner sizes refer to the thread size and NOT the head size

094.579

## METRIC COMBINATION

- Expert quality 11-piece spanner set by Draper in tool roll 7mm - 19mm across flats
- Forged from chrome vanadium steel.
- hardened, tempered, chrome plated and polished throughout

**TORQUE WRENCH** 

ensure accuracy

094.796

094.554

## **POURING CANS**



## **FUNNELS**



METAL FUNNEL WITH FILTER Heavy duty steel with brass filter 091.598 152mm diameter at the top 091.599 203mm diameter at the top

## **ALLEN KEYS**



ALLEN KEY SETS Imperial sizes, contains 10 A/F sizes, <sup>1</sup>/<sub>16</sub>, <sup>5</sup>/<sub>64</sub>, <sup>3</sup>/<sub>32</sub>, <sup>1</sup>/<sub>8</sub>, <sup>5</sup>/<sub>32</sub>, <sup>3</sup>/<sub>16</sub>, <sup>7</sup>/<sub>32</sub>, <sup>1</sup>/<sub>4</sub>, <sup>5</sup>/<sub>16</sub> and <sup>3</sup>/<sub>8</sub>" in a handy plastic holder

**HAND TOOLS** 



LUCAS SWITCH BEZEL TOOLS Where LUCAS switches are secured by bezels it is sometimes difficult to undo the bezel to release the switch, and then do them up tightly again. These two tools are designed to make the job easier, the smaller one for LUCAS toggle switches and the larger one for ignition switches

You

O)



£

9



to 12mm, 12 to 16mm and 16mm to 22mm 091.571



SET OF THREE NUT SPLITTERS INSTALLER For the safe removal of corroded, damaged or seized nuts without damaging the thread of the stud or bolt. Drop forged steel bodies, hardened and tempered with plated finish. Threaded splitting pins manufactured from chrome molybdenum 095.019 steel hardened and tempered. Capacities 9

**WINTAGE & CLASSIC** 



**STUD REMOVER &** Use with ½" square drive to remove or install studs from 6 to 19mm diameter  $(\frac{1}{4}" \text{ to } \frac{3}{4}")$ 095.053

UPHOLSTERY CLIP REMOVER For removing upholstery clips and complete door panels easily



**GENERAL PURPOSE** Industrial quality, made from

**PLIERS** 

chrome vanadium steel, hardened. tempered and mirror polished with induction hardened edges for extra durability. Special heavy duty non slip moulded handles for added grip, with slip guards for extra safety. Overall length 180 mm 092.275

FOR LATEST PRICES REFER TO WEBSITE



LONG NOSED PLIERS

Industrial quality, made from chrome vanadium steel, hardened, tempered and mirror polished with induction hardened edges for extra durability. Special heavy duty non slip moulded handles for added grip, with slip guards for extra safety. With half round jaws, useful for getting into confined places. Overall length 160 mm 092.278





FOR LATEST PRICES REFER TO WEBSITE



094.795



## **TORQUE WRENCH** CLICKING TYPE - 1/2" SQUARE DRIVE With reversible ratchet head. <sup>1</sup>/<sub>2</sub>" Square Drive. The

Ib-ft and Nm scales are engraved on the barrel of the wrench. The micrometer type sleeve allows accurate preset torque values to be set. When torque is reached an audible click is heard and the tension is released. The marked ranges are 22.1 to 154.9 lb-ft and 30 to 210 Nm. Overall length 475mm. Testing and recalibration of torque wrenches should be carried out on a regular basis to ensure accuracy

**TORQUE & RATCHET WRENCHES** 

# **SPANNERS & SOCKETS**



#### WHITWORTH/BSF OPEN-ENDED

Budget quality 6-piece spanner set, both ends open ended <sup>1</sup>/<sub>8</sub>" to <sup>1</sup>/<sub>2</sub>"Whitworth

- (<sup>3</sup>/16" to <sup>9</sup>/16"BSF)
- Chrome vanadium steel In a useful tool roll

Spanner sizes refer to the thread size and NOT the head size

095.172

#### SPARK PLUG SOCKET

Socket with plastic coated swivel T handle. Socket is forged steel, hardened, tempered and chrome plated with rubber insert for spark plug insulator protection and retention.

For 18mm spark plugs 090.360



#### PRECISION TYPE - 1/2" SQUARE DRIVE

With reversible ratchet head and locking preset action. 1/2" Square Drive. Torque values are viewed through a window in the handle. Range 50 to 180 Nm to plus or minus 3%. Overall length 520 mm. Full instruction manual and calibration certificate included. Testing and recalibration of torque wrenches should be carried out on a regular basis to



1/2" SQUARE DRIVE RATCHET Body forged from chrome vanadium steel, hardened, tempered, chrome plated and polished. Sprung ball to retain sockets securely & quick release mechanism for easy release of sockets and accessories: <sup>1</sup>/<sub>2</sub>" Square Drive. 250mm long with 45 tooth ratchet and forward/reverse selector (shown)

094.793

#### SOFT JAW ADJUSTABLE PLIERS

Made from chrome vanadium steel. hardened, tempered and with the jaws chrome plated and polished. Cushion grip handles. Adjusts over 8 positions to a maximum capacity of 40 mm. For use on plated fittings that can be easily damaged using conventional steel jaws. Supplied with spare set of soft jaws, which are also available separately refer to 095.106 095.105



## **CIRCLIP (SNAP RING)** PLIERS SET

The proper tool for removing circlips (snap rings). Internal and External Circlip Pliers supplied with a selection of four interchangeable heads

095.147



SWITCHES

IGNITION

WIRING

HEATERS & ELECTRIC FANS

RODY HARDWARF

BRAKES & SUSPENSION

CLUTCH KITS

EXHAUSTS

FIXINGS

FUEL SYSTEMS & FILTERS

MIRRORS

POWER STEERING

SEAT BELTS

WASHERS & WIPERS

OIL & AIR

CARE & STORAGE

OIL, GREASE & FLUIDS

PAINT & ANTI-RUST

TOOLS



309

# **WORKSHOP EQUIPMENT**

## +44 (0) 1885 488 488

## WWW.HOLDEN.CO.UK



LIGHTING

SWITCHES

IGNITION

WIRING

HEATERS &

ELECTRIC

BODY

HARDWARF

BRAKES &

SUSPENSION

CLUTCH KITS

EXHAUSTS

FIXINGS

FUEL

SYSTEMS &

FILTERS

MIRRORS

POWER

STEERING

SEATS &

SEAT BELTS

WASHERS &

WIPERS

OIL & AIR

FILTERS CARE &

STORAGE

OIL, GREASE

& FLUIDS

PAINT &

TOOLS

ANTI-RUST

#### **MECHANIC'S STOOL**

Height adjustable stool with PVC top (380-490mm) which is padded and sprung for comfort. Supported on five castors to enable you to move around. Base is tool storage tray. Useful for many jobs around your car or motorcycle in the workshop 095.216

## **MEASURING & STAMPING**







NUMBER STAMP SETS Sets of number stamps, 0 to 9, made from allov tool steel, hardened and tempered. Packed in a plastic box. Ideal for marking car parts: 094.811 6.35mm tall (1/4")



SCRIBER

for marking out

095.628



## AUTOMATIC CENTRE PUNCH

Expert quality heavy duty Automatic Centre Punch with spring-loaded steel point with adjustable striking force. You press it down and it 'fires' the centre mark into the metal. Ideal for marking where you want to drill holes

094.563

# **ENGINE TESTING & TUNING**



### **COLORTUNE MIXTURE TESTER**

(Left) Colortune fits in place of any 14mm plug, and enables you to see the colour of the burning air/fuel mixture. Adjust until you have the correct blue colou 091.981

**ENGINE MAINTENANCE** 



## **CLIKADJUST TAPPET** ADJUSTER

Use with a 1/2" square drive socket to fit your car's tappet adjusters. Slacken the locknut, close the tappet completely using the built in screwdriver until Clikadjust clicks loudly, then reverse the screw driver until by counting the clicks the correct clearance is achieved. A table of clearances which tells you how many clicks correspond to the manufacturers clearance is supplied. This device takes up wear and the resultant setting is very accurate

You

0

091.985

>

f



095.821

## **SELF GRIP OIL FILTER** WRENCH

Drop forged chrome vanadium steel jaws, hardened and tempered. Adjustable between 53mm and 118mm diameter. Quick release lever











150mm

094.830

VALVE SPRING COMPRESSOR

Made from selected steel and zinc

plated, with plastic coated locking

positively compressed during work.

Capacity 55mm to 175mm, throat

handle to keep valve springs

## VALVE GRINDING KIT Double ended valve grinder & fine & coarse carborundum paste 094.831

## PISTON RING COMPRESSOR

Spring steel band wraps around the rings and piston to enable you to enter the piston into the cylinder. Adjustable from 60mm to 100mm bore diameter with adjusting key provided 094.826



**TOOL KIT FOR SU** CARBURETTORS Comprises two jet adjusting spanners and needle/seat tube nut spanner 090.696

### CARBURETTOR SYNCHRONISER

Fits over the carburettor intake with an adjustable baffle to allow you to adjust the flow through the instrument to get the float half way up the tube which can be swiveled to the vertical whatever the angle of the carburettor intake. Measure each intake in turn and adjust the carburettors accordingly. This synchroniser is of metal construction

090.043

# **ELECTRICAL & BATTERY**



## POCKETMETER MULTIMETER

By Gunson. A range of 19 scales makes this ideal for all electrical or electronic testing. DC volts to 1000 volts. AC to 750 volts. DC current to 10 amps. Resistance to 2000k ohms. Diode and transistor test. Size 70 mm x 125 mm x 27 mm 091.119

Designed to keep good batteries from 1.2Ah to 100Ah in good condition on positive and negative earth vehicles. They use PRIMARY SWITCHED electronics and then constantly monitor any voltage loss due to clocks etc. or natural drainage and bring your battery back to being fully charged. Each one is supplied with a connection kit for difficult to reach batteries





094.362

Voltage	Туре	Battery Size Ah	Maximum Charging Voltage	Programme	Leave on for long periods	Charge Batteries from FLAT	Part No.
6	Conditioner	1.2 to 100	7.2		Yes	No	094.366
12	Conditioner	1.2 to 100	14.4		Yes	No	094.362
12	Conditioner & Charger	1.2 to 130	14.4	7 step	Yes	Yes	094.363
12	Conditioner & Charger	1.2 to 160	14.4	8 step	Yes	Yes	094.368



FOR LATEST PRICES REFER TO WEBSITE

**WINTAGE & CLASSIC** 

FOR LATEST PRICES REFER TO WEBSITE

094.366





310

# **ENGINE MAINTENANCE**



## LOCK WIRE PLIERS

For fast and efficient lockwiring of nuts in safety critical applications. As used in the aero, defence and racing industries. 250mm overall length, made from chrome vanadium steel

## **NAU UUS**

090.010 Stainless Steel Locking Wire 0.028"



## **BEARING RACE & SEAL DRIVE**

For inserting bearing races and oil seals straight and easily, up to 64mm (2.52") diameter 091.315



## **BATTERY CHARGER 6 & 12V**

For recharging both 6 and 12 volt conventional lead acid batteries up to 45 Ah from 230 volt mains. The effective charging rate is 4.2 amps. Features include insulated copper leads and battery clips, charging status display and folding carrying handle. Size 240mm x 210mm x 145mm

## 094.542



094.363



094.368

LIGHTING

SWITCHES

IGNITION

WIRING

HEATERS & ELECTRIC FANS

ACCESSORIES

BODY HARDWARF

BRAKES & SUSPENSION

CLUTCH KITS

EXHAUSTS

FIXINGS

FUEL SYSTEMS & FILTERS

MIRRORS

POWER STEERING

SEAT BELTS

WASHERS & WIPERS

OIL & AIR FILTERS

CARE & STORAGE

OIL, GREASE & FLUIDS

PAINT & ANTI-RUST

# **ELECTRICAL & BATTERY**

## +44 (0) 1885 488 488

## WWW.HOLDEN.CO.UK



LIGHTING

SWITCHES

IGNITION

WIRING

HEATERS &

ELECTRIC

BODY

HARDWARE

BRAKES 8

SUSPENSION

CLUTCH KITS

EXHAUSTS

FIXINGS

FUEL

SYSTEMS &

FILTERS

MIRRORS

POWER

STEERING

SEATS &

**CIGAR LIGHTER** SOCKET ADAPTOR Enabling you to plug Conditioners and Charger/Conditioner 094.362, 094.366, 094.363 & 094.368 into a cigar lighter socket and charge your battery through the cigar lighter 094.365



PANEL SOCKET Mount this socket on a suitable panel (hole size 20 x 30mm) and connect the wires to your 12v battery then plug in your charger plug. Socket includes an LED indicator to show the state of charge of your battery. 1.5 metre cable. 10 amp max 094.367

## **FOR BATTERIES SEE PAGE 132**



ADDITIONAL CONNECTION KIT Enabling you to use Conditioners and Charger/ Conditioner 094.362, 094.366, 094.363 and 094.368 on a 2nd car or motorcycle 094.364

## **DEFLATION VALVE 6-18 P.S.I.**

For vehicles that are used both on and off the road. This device enables you to quickly reduce the pressure for off road use giving improved traction. The valve is a multi-setting device allowing you to select a suitable pressure 6 -8 - 10 - 12 - 14 - 16 p.s.i.. The valve is then screwed onto the tyre valve and the tyre pressure reduces to that required and shuts off. Normally you would have one deflation valve per tyre that you will need to reduce the pressure. 98mm long and 31mm diameter at its widest point 091.086

# **BRAKE TOOLS**

# **TYRE TOOLS**



**DIAL TYPE GAUGE** With 250mm flexible hose and angled connection. Air release valve. Reads 5 to 100 p.s.i. (0 to 6 bar)

090 987

Spare Protective Shroud for tyre pressure gauge 090.987. Protects the gauge from damage

090.985

SEAT BELTS WASHERS & WIPERS OIL & AIR FILTERS CARE & STORAGE OIL, GREASE & FLUIDS PAINT &

ANTI-RUST

312

TOOLS





Ø

You

f

>



of four

091.089 Brass

091.088 Nylon







NO LOSS VALVE CAPS

With a polyethylene retaining strap which is pushed

going missing. To make a good seal an integral nitrile

rubber seal gives pressure security. Supplied in a set

**TYRE TRAINER** 

095.175

over the valve threads into the groove at the base

of the threaded section preventing the cap from

## VALVE EXTENSION Valve Extension 90 degrees. Extends your tyre valve to make access easier

FOR LATEST PRICES REFER TO WEBSITE

094.949



**TUBE BENDER** 

094.531

For <sup>3</sup>/16" brake tubing



instructions 090.388

**BRAKE HOSE CLAMP** When working on your brakes it is often desirable to clamp a flexible hose to prevent fluid running out of the brake system. Use this hose clamp for this job 094.535



PIPE DEBURRER For deburring and cleaning up the ends of <sup>3</sup>/<sub>16</sub>" brake tubing 094.532

# **STEERING TOOLS**

## **BALL JOINT SEPARATOR**

Manufactured from drop-forged heat-treated alloy steel to stand up to hard usage. Position wedge end between parts to be removed and deliver a few sharp blows with a hammer. Makes the job of adjusting or replacing ball joints much easier! Jaw opening 19mm, length 400mm 095.022



**TUBE VALVE PULL THROUGH** 

Feed it through the valve hole in the rim and screw it onto the valve on the tube and use it to pull the valve into the valve hole. Also has a valve key in the handle

A popular accessory, manufactured from tough plastic, which

is designed to extend the life of your tyres, and prevent flat

spots, without jacking your car up. Also less bulging of the

sidewall reduces the potential for cracks. Suitable for cars

being laid up, or not used, for extended periods, also trailers,

caravans and motorhomes. Can also be used as a garage stop

marker by bolting down to the garage floor. Sold as a pair

095.229

**WINTAGE & CLASSIC** 



FOR LATEST PRICES REFER TO WEBSITE

# **TYRE TOOLS**



**VALVE TOOL** 

Tyre Valve Stem Repair Tool, for removing and repairing tyre valves 095.046



MITYVAC BRAKE BLEEDING KIT The principle is to 'suck' the fluid through the system using a vacuum pump. The kit contains the vacuum/pressure pump and all accessories necessary to enable you to perform one-person bleeding, at the road wheel, without the need to depress the brake pedal. Supplied with full



### **PROFESSIONAL FLARING TOOL KIT**

For making the correct flare on  $\frac{3}{16}$  and  $\frac{1}{4}$ copper or kunifer pipe. Use in vice. Packed in a plastic box. As used by professionals 094.534



## **EEZIBLEED BRAKE BLEEDER**

Uses the air pressure in your (spare) tyre! With a pressure vessel to hold the new fluid, a pipe with cap to fit your reservoir, and an air pipe to connect to the tyre. Operate each bleed valve in turn until clean fluid appears. You do the job in minutes and use only <sup>1</sup>/<sub>4</sub> lb pressure from your tyre. Several screw caps are provided. If you can't find one to fit your car, send one back with a description and we will exchange it, free of charge. Full instructions provided 091.980

LIGHTING

SWITCHES

IGNITION

WIRING

HEATERS & ELECTRIC FANS

ACCESSORIES

RODY HARDWARF

BRAKES & SUSPENSION

CLUTCH KITS

EXHAUSTS

FIXINGS

FUEL SYSTEMS & FILTERS

MIRRORS

POWER STEERING

SEATS & SEAT BELTS

WASHERS & WIPERS

OIL & AIR

CARE & STORAGE

OIL, GREASE & FLUIDS

PAINT & ANTI-RUST



# **SCREWDRIVERS**

## +44 (0) 1885 488 488

## WWW.HOLDEN.CO.UK



LIGHTING

SWITCHES

IGNITION

WIRING

HEATERS &

ELECTRIC

BODY

HARDWARF

BRAKES &

SUSPENSION

CLUTCH KITS

EXHAUSTS

FIXINGS

FUEL

FILTERS

MIRRORS

POWER

STEERING

SEATS &

SEAT BELTS

WASHERS &

WIPERS

SYSTEMS &

## PLAIN SCREWDRIVERS

For plain slot screws. Hardened and tempered chrome vanadium steel blade with soft grip polypropylene handle:

6mm wide tip, 38mm blade length	094.750
6mm wide tip, 150mm blade length	094.752
8mm wide tip, 150mm blade length	094.753



CROSS HEAD SCREWDRIVERS For cross head screws. Hardened and tempered chrome vanadium steel blade with soft grip polypropylene handle: No 2 tip and 100mm blade length 094.758



**ELEMENTARY DESIGN, SET NO.3** Combined Number 1 and Number 2 Screwdriver in attractive box. This set comes complete with nine interchangeable bits. 095.092



FABRIC TOOLBAG Made from heavy duty water repellent canvas with PVC backing. rope reinforced handles, nylon zip and wood baseboard. 094.557



**LEATHER TOOL BAG - LARGE** Length 410 mm, depth 150 mm and maximum height 200 mm. This toolbag has two straps which wrap around to take the weight of the contents. In addition there is a separate handle for carrying the bag 094.913

090 145

Weighs 2.5lbs.

090.012

## **ROBERTSON SCREWDRIVERS**

**ELEMENTARY DESIGN, SET NO.1** 

This unique and beautiful designer Screwdriver

is hand-made in England. It has a solid beech

handle and a solid brass ferrule. Its handle is

ergonomically designed to fit comfortably in

the hand so it can be used for long periods

interchangeable bits.

095.090

of time. It comes complete with six different

The Robertson woodscrew has a square-shaped socket in the screw head and a square protrusion on the screwdriver. Both have a taper, which makes inserting the screwdriver easier, and also tends to help keep the screw on the screwdriver tip without the user needing to hold it there. Robertson screwdrivers are easy to use one-handed, because the tapered socket tends to retain the screw, even if it is shaken. Robertson woodscrews can be removed if old or painted over. In industry, they speed up production and reduce product damage. For details of Robertson woodscrews refer to page 290

**ELEMENTARY DESIGN, SET NO. 2** 

The specially shortened version of The

difficult circumstances.

095.091

Screwdriver is designed for working in a

space which is tighter and more confined. The

handle fits snugly into the palm of the hand

and pressure can be exerted in even the most

**DRIVER BIT SIZE 1** 

green for identification

>

25mm long

095.933

f

Driver Bit for Robertson No. 3.5

and 3.75 woodscrews. Coloured

You

0

OIL & AIR FILTERS CARE & STORAGE OIL, GREASE

& FLUIDS PAINT & ANTI-RUST

TOOLS

SCREWDRIVERS SIZE 2 For Robertson No. 4 & 5 woodscrews Handle coloured red for identification Junior 190mm long (left) 095.941

> Standard 250mm long (right) 095.942



**DRIVER BIT SIZE 1** Driver Bit for Robertson No. 3.5 and 3.75 woodscrews. Coloured green for identification 75mm long 095.934



Full Flat Countersunk and Full Thread Pan Head Screws of various sizes are available on our website.

Call 01885 488 488. email sales@holden.co.uk or search online to see our full range and to order.



**DRIVER BITS SIZE 2** Driver Bit for Robertson No. 4 and 5 woodscrews. Coloured red for identification

25mm long 095.943

75mm long (shown) 095.945

150mm long 095.947





Thor replacement round copper

Thor Spare Copper Striking Face A 090 009

Face (A) 090.011



HAMMER Hardened and tempered forged high carbon steel head and natural straight grained hickory shaft 094.566







FOR LATEST PRICES REFER TO WEBSITE

# TOOL BAGS



**LEATHER TOOL BAG - LARGE** Length 410mm, depth 150mm and maximum height 200mm



## **LEATHER TOOL BAG - SUPER DE LUXE**

Leather Toolbag measuring 410 mm x 165 mm x 160 mm. Made from saddle leather and hand stitched at ends and flap which is secured by two straps with quality brass buckles. Strong longitudinal carrying handle looped over the two straps

094.865

# HAMMERS & MALLETS

## HAMMER THOR No. 2

Copper and hide faces, either side of the head. A safer alternative for striking machined surfaces than conventional steel hammers. The impact resistant striking faces shape themselves to the component being struck, minimising rebound damage to the component and reducing noise. The Copper face combined with the Malleable Iron head gives a SAFE but high-impact blow, whilst the Hide face gives a firm resilient blow that will not mark the finished work.

Original equipment in many Jaguar, MG, Triumph TR tool kits of the 50s & 60s Faces are designed to wear and can be replaced. See spares on the right.)





Thor Replacement Hide Striking

Thor Replacement Hide Striking Face 094.525



**RUBBER MALLET** With semi-hard rubber head giving little rebound. Face diameter 65 mm. Polished self locking ash shaft



LIGHTING

SWITCHES

IGNITION

WIRING

HEATERS & ELECTRIC FANS

RODY HARDWARF

BRAKES & SUSPENSION

CLUTCH KITS

EXHAUSTS

FIXINGS

FUEL SYSTEMS & FILTERS

MIRRORS

POWER STEERING

SEATS & SEAT BELTS

WASHERS & WIPERS

OIL & AIR

CARE & STORAGE

OIL, GREASE & FLUIDS

PAINT & ANTI-RUST

# **GREASE GUNS & OIL CANS**

## +44 (0) 1885 488 488

## WWW.HOLDEN.CO.UK



## SIDE LEVER GREASE GUN

Classic & Sportscar said this was the best grease gun they had ever used! Select the nozzles etc to suit your requirements. Can be filled from a normal tin of grease or oil or from cartridge 090.695. This gun gets the grease where it's needed. Guaranteed for 3 years. Supplied complete with flexible hose and standard connector for use on the hydraulic type nipples as normally found on classic cars and motorcycles



LIGHTING

SWITCHES

IGNITION

WIRING

HEATERS &

ELECTRIC

ACCESSORIES

HARDWARE

BRAKES &

SUSPENSION

CLUTCH KITS

EXHAUSTS

FIXINGS

FUEL

SYSTEMS &

FILTERS

MIRRORS

POWER

STEERING

SEATS &

SEAT BELTS

WASHERS &

WIPERS

OIL & AIR

FILTERS

CARE &

STORAGE

OIL, GREASE

& FLUIDS

PAINT &

TOOLS

48

56

7

f

You

ANTI-RUST

FANS

BODY



#### HOOK-ON CONNECTOR For use on the type of grease nipples often found on vintage cars and motorcycles Manually adjustable

090.694 Please note that this does not fit the grease guns we offer



	0	screen printed Castrol vo breast pockets, two s	
	Waist in.	Leg in.	Chest in.
0	30-40	30	36
0	34-42	30	40
0	36-43	30	42
0	38-44	30	44
0	40-48	30	46

48

56

TEAM CASTROL CLASSIC MECHANIC'S OVERALLS HEAVY DUTY				
A Heavy Duty version of the popular Castrol Classic Mechanic's Overalls. This set of over- alls features an embroidered classic style Castrol Motor Oil badge to the front, Castrol script in red across the right hand shoulder and a screen printed Castrol Motor Oil logo on the rear. There are belt loops around the elasticated waist and buttons under a panel to the front				
Chest in.	Leg in.	Waist in.	Part No.	
36	30	30-40	052.619/36	
40	30	34-42	052.619/40	
42	30	36-43	052.619/42	
44	30	38-44	052.619/44	
46	30	40-48	052.619/46	

44-52

46-58

052.619/48

052.619/56

**WVINTAGE & CLASSIC** 

30

30

0



**RIGID NOZZLE** 



HYDRAULIC

CONNECTOR

type nipples

090.693

For use on hydraulic

DUAL PUMP PRECISION OIL CAN (Left) Can be used at any angle, even upside down. 200ml capacity. A joy to use 090.021

TEAM CASTROL CLASSIC MECHANIC'S OVERALLS					
	Ils with screen printed Castrol Classic logo on rear and front. Elasticated at aist. Two breast pockets, two side pockets and one back pocket				
l.	Leg in.	Waist in.	Part No.		
	30	30-40	051.888/36		
	30	34-42	051.888/40		
	30	36-43	051.888/42		
	30	38-44	051.888/44		
	30	40-48	051.888/46		
	30	44-52	051.888/48		
	30	46-58	051.888/56		



## **BP MOTOR SPIRIT MECHANIC'S OVERALLS**

Traditional Mechanic's style overalls with "BP Motor Spirit" printing on back and Hold en logo on front. Mechanic's detachable arm band to add an authentic look. Elasticated waist band and two breast pockets

Size	Part No.
Small	052.600/S
Medium	052.600/M
Large	052.600/L
XL	052.600/XL
2XL	052.600/XXL



Embroidered with the Lucas Lion patch to secure storage and tw pockets for ample sto an
Siz
Extra
Sma
Medi
Lar
XI

## **GIRLING COVERALL IN WHITE**

 $\label{eq:constraint} Embroidered with the Girling logo to the left chest and right sleeve and Girling patch$ to the back. This smart coverall features a chest pocket with flap for secure storage and two side pockets. Comfort practicality and durability are ensured. 4 pockets for ample storage. Rule pocket. Side pockets. Half elasticated waist for a secure and comfortable fit. Bartacked at all stress points.

Size	Part No.
Extra Small	LCCL4680/W/XS
Small	LCCL4680/W/S
Medium	LCCL4680/W/M
Large	LCCL4680/W/L
XL	LCCL4680/W/XL
2XL	LCCL4680/W/XXL
3XL	LCCL4680/W/XXXL

FOR LATEST PRICES REFER TO WEBSITE



# **OVERALLS**



## LUCAS COVERALL IN WHITE

ne Lucas logo to the left chest Lucas Flambeau to the right sleeve and o the back. This smart coverall features a chest pocket with flap for two side pockets. Comfort practicality and durability are ensured. 4 torage. Rule pocket. Side pockets. Half elasticated waist for a secure nd comfortable fit. Bartacked at all stress points.

Size	Part No.
tra Small	LCCL4680/W/XS
Small	LCCL4680/W/S
Medium	LCCL4680/W/M
Large	LCCL4680/W/L
XL	LCCL4680/W/XL
2XL	LCCL4680/W/XXL
3XL	LCCL4680/W/XXXL



LIGHTING SWITCHES

IGNITION

WIRING

HEATERS & ELECTRIC FANS

ACCESSORIES

BODY HARDWARE

BRAKES & SUSPENSION

CLUTCH KITS

EXHAUSTS

FIXINGS

FUEL SYSTEMS & FILTERS

MIRRORS

POWER STEERING

SEATS & SEAT BELTS

WASHERS & WIPERS

OIL & AIR

CARE & STORAGE

OIL, GREASE & FLUIDS

PAINT & ANTI-RUST