HEATERS AND ELECTRIC FANS



A long climb at low speed can be a problem for older car cooling systems because the mechanical fans installed slow when your speed drops. Electric fans don't need revs or motion to cool your car as they sense when the motor gets hot (they also free up a few brake horsepower (bhp) if you remove the mechanical fan). We offer an extensive range of Revotec electric fans, a worthwhile upgrade to any classic car.

When the weather turns cold, the heater in your car is worth its weight in gold. We offer a small range of original Smiths heaters and heater upgrades for most vintage and classic cars.

CLAYTON HEATERS



COMPACT HEATER

Have nice warm feet! Easy to install 4kw Heater, 275mm wide, 115mm tall and 200mm deep. 12 volt operation with two 13mm diameter stubs to connect to your engine cooling system. (No provision for demisting)

080.512



COMPACT HEATER

A compact 4kw Heater. 252mm wide, 115mm tall and 256mm deep. 12 volt operation with two 16mm (5/8") diameter stubs to connect to your engine cooling system. Two adjustable outlets and two 32mm (1¹/₄") demist outlets

080.513

SPARES FOR CLAYTON HEATERS



FAN MOTOR SINGLE SHAFT With 1/4" shaft at one end. Can be connected to run in either direction

080.514



FAN MOTOR DOUBLE SHAFT

With 1/4" shaft at both ends. Can be connected to run in either direction

080.545

UPRATING CLAYTON HEATERS



CLAYTON FAN MOTOR SINGLE

Powerful 12 volt Fan Motor with 5/16 in shaft. A nice motor with cast end plates which can be wired up to rotate in either direction. Can be used to uprate the heater on the Jaguar Mk II. Use with Mounting Plate 080.547, Baffle 080.548 and Fan 080.558

080.546



MOUNTING PLATE

Use with Motor 080.546, Baffle 080.548 and Fan 080.558 on Jaguar Mk II. Coated steel

080.547



3 BLADE FAN

Plastic fan secured by grub screw onto a ¹/4" shaft, 172mm (6.75") diameter

080.555

WWW.HOLDEN.CO.UK

LIGHTING

SWITCHES

IGNITION

WIRING

HEATERS & ELECTRIC FANS

ACCESSORIES

HARDWARE

BRAKES & SUSPENSION

CLUTCH KITS

EXHAUSTS

FIXINGS

FUFL SYSTEMS & **FILTERS**

MIRRORS

POWER STEERING

SEAT BELTS

WASHERS & **WIPFRS**

OIL & AIR **FILTERS**

CARE & STORAGE

OIL, GREASE & FLUIDS

PAINT 8 ANTI-RUST

135



LIGHTING

SWITCHES

IGNITION

WIRING

HEATERS &

ACCESSORIES

HARDWARE

BRAKES &

SUSPENSION

CLUTCH KITS

EXHAUSTS

SYSTEMS &

FILTERS

MIRRORS

POWER

STEERING

SEATS &

SEAT BELTS

WASHERS &

WIPERS

OIL & AIR

FILTERS

CARE &

STORAGE

OIL, GREASE

& FLUIDS

PAINT &

FIXINGS

FUFI

ELECTRIC

FANS

BODY

HEATER ACCESSORIES



WATER VALVE CABLE

1600mm long cable with a loop at either end

CABLE OPERATED WATER VALVE

Pull for OFF. For use with 5/8" internal diameter pipe. Pull for OFF. For a cable to operate this valve refer below

080.530

080.549

WIRING

HEATERS & ELECTRIC FANS

LIGHTING

SWITCHES

IGNITION

ACCESSORIES

BODY HARDWARE

BRAKES & SUSPENSION

CLUTCH KITS

EXHAUSTS FIXINGS

FUEL SYSTEMS &

MIRRORS POWER

STEERING

SEATS & SEAT BELTS

WASHERS & WIPERS

OIL & AIR

CARE & STORAGE

OIL, GREASE & FLUIDS

ANTI-RUST

PAINT &



CABLE OPERATED WATER VALVE

WATER VALVE CARLE

adapted, 1600mm long

015.384

If you need a method of operating this valve

remotely, we offer a cable with a knob which can be

Push for OFF. For use with 5/8" internal diameter pipe. Pull for ON, push for OFF. For a cable to operate this valve refer below



CABLE OPERATED WATER VALVE

As fitted to the A series engines in A40 Farina type and later to early Classic Minis. This is the straight type that will fit all 1275cc A series and most 998cc engines. Original Equipment Part No was 13H5506

+44 (0) 1885 488 488



DATA PLATE

For Smiths heaters, 90mm x 20mm, You will need to stamp on a code, model and voltage

080.243



COOLING FAN MOTOR UNIT -AFTERMARKET

Cooling Fan Motor Unit - Not supplied with fan blade

RADIATOR COOLING FAN MOTOR

LUCAS 78497 fan motor. Fits Jaguar E-type V12

ROUND BODIED TYPE

CIRCULAR HEATER

CBC6685R

C34368



78462

RADIATOR COOLING FAN MOTOR -SINGLE MOTOR SET UP LUCAS 78378

RADIATOR COOLING FAN MOTOR

hammerite finish. Jaguar E-type

Original style "square" radiator cooling fan motor

manufactured with modern internal components

for improved performance and reliability. Grey

Radiator cooling fan motor, square body type - For use in single motor set up. C16452 LUCAS 78378



RADIATOR COOLING FAN MOTOR

Diameter:93mm Length:73mm Shaft Diameter:6mm

CAC2047R



RADIATOR FAN MOTOR - DUAL MOTOR SET UP

Radiator cooling fan motor, round body type - For use in dual motor set up

C34368R

HEATERS UPGRADES BY CLAYTON





HEATER UPGRADES

(Left above) For MGB 1962-80. With a modern 3-speed motor and centrifugal fan and more modern/ larger element. The box is the same shape as the original, with 'SMITHS' stamped into the cover, but slightly thicker front to back at 135mm to contain the uprated components

(Right above) For Jaguar XK120/140 Roadster. An upgraded heater box giving a considerable increase in performance over the original

080.792



HEATER UPGRADE KIT

For Jaguar E Type Series 1 & 2. An upgraded heater giving a considerable increase in performance over the original. Includes new heater matrix, fan motor and fan

080.794



HEATER UPGRADE KIT

HEATER UPGRADE KIT

performance over the original


N8N 793

For Jaguar Mk II. An upgraded and simplified heater giving a considerable increase in performance over the original. Includes new heater core, fan motor, fan and fittings

080.791



- 12V operation
- Heat output 2kw
- With or without a demist facility
- Water pipes straight or bent at 90° • You can reassemble them with the pipes anywhere around the circle
- Two doors to control heat into the car
- Nice period appearance • Finished in grey hammered enamel
- Overall diameter 210mm
- Demister outlets use 1¹/4" dia hose
- This is probably the easiest type of heater to fit if your car never had a heater
- Ideal for kit cars



Shaded area is Demist Unit 080.503

080.500 With straight pipes and no demist facility 080.501 With straight pipes and demist facility 080.502 With bent pipes and no demist facility **080.503** With bent pipes and demist facility (drawing)

REPLACEMENTS FOR SMITHS' CIRCULAR HEATER ELEMENTS

FOR LATEST PRICES REFER TO WEBSITE

The elements originally made by Smiths were of three depths, $2\frac{1}{4}$, 3" and 4". The replacement elements made by CLAYTON are 25/8" in depth but come with three new



clips which enable you to reassemble your heater with the new element (there is one exception to this, a 4" deep element, made to special order, for early Austin Healeys). A small adjustment to the fan position on the motor shaft may be required. The copper construction and improved water flow through the new element produces a substantial heat output and it will not corrode like the original steel unit











080.795

HEATER UPGRADE KIT

matrix and fan motor



For Jaguar E Type Series 3 (V12). An upgraded

performance over the original. Includes new heater

heater giving a considerable increase in



For Jaguar XK150 (late-under bonnet heater). An

upgraded heater giving a considerable increase in



WWW.HOLDEN.CO.UK +44 (0) 1885 488 488

ANTI-RUST

LIGHTING

SWITCHES

IGNITION

WIRING

HEATERS &

ELECTRIC

ACCESSORIES

HARDWARE

BRAKES &

SUSPENSION

CLUTCH KITS

FIXINGS

FUEL

SYSTEMS &

MIRRORS

POWER

STEERING

SEATS &

SEAT BELTS

WASHERS &

WIPERS

OIL & AIR

CARE &

STORAGE

OIL, GREASE

& FLUIDS

PAINT &

ANTI-RUST

FANS

BODY

REPLACEMENTS FOR SMITHS' CIRCULAR HEATER ELEMENTS

Without motor plate:

Available with or without motor plate:

Available with or without motor plate: Without motor plate **080.505**



With motor plate

With motor plate **080.506**

A special is available for Austin Healey 100 & 100-SIX cars 080.508



A special is available for Jaguar XK120/XK140/ XK150 cars

A special is available for Bentley &

+44 (0) 1885 488 488

080.509

Rolls-Royce cars

080.507

SCREEN HEATER



HOLDEN HOT SCREEN 12 VOLT SCREEN HEATER

 $12\,\text{volt}$ adhesive Screen Heater. Fits the inside of the rear window of your car and is wired in using the switch provided. $1200\,\text{mm}\,\text{x}\,300\,\text{mm}$ of self-adhesive heater element that you cut and fit size on the two end connecting strips. Can also be fitted to your front screen. Particularly useful on rallies. Full fitting instructions, relay and switch included

080.109

HEATER HOSES (WATER)



WATER HOSES

Top quality flexible water hose with smooth finish. Inside diameter $^{1}\!/_{2}$ " (12.7mm), outside diameter 19.5mm. Can be bent to a minimum radius of 88mm. Install using hose clips. Made to SAE J 20 R3 standard

080.538

As above with inside diameter 5/8" (16mm), outside diameter 23mm. Can be bent to a minimum radius of 112mm

080.539



T PIECECopper, for ½"-½" pipe **080.534**



Y PIECE Copper, for 5/8" pipe 080.536

HEATER HOSES & NOZZLES



DEMIST HOSE 080.520 1¹/₄" Plastic **080.521** 1³/₄" Plastic

*



WIRE REINFORCED DEMIST HOSE 080.522 1³/₄" diameter

080.528 Wire Clip suits 1³/₄" hose



HEATER HOSE 080.518 3¹/₄" (82.5mm) diameter. Fits Blowers on this page

080.517 Single Spiral Wire Clip suits 3¹/₄" hose **080.523** 4" (102mm) diameter wire reinforced heater hose



SIDE ENTRY NOZZLE Metal, 135mm wide uses 1³/₄" hose 080.526



SLIMLINE ELECTRIC FANS

The fans are lightweight and high output, they also benefit from sealed bearings, balanced blades and low profile. They are also waterproof to level IP68, meaning they are able to resist the most extreme weather and working conditions (e.g. dust, mud, rain, snow, ice) at which the vehicles work during their use. They are rated for continuous use and are available in a range of sizes for mounting either in front or behind the radiator (suction or blowing). All housings have four integral 6.5mm mounting holes with other mounting options available.





HIGH POWER ELECTRIC FANS

The fans are lightweight and high output, they also benefit from sealed bearings, balanced blades and low profile. They are also waterproof to level IP68, meaning they are able to resist the most extreme weather and working conditions (e.g. dust, mud, rain, snow, ice) at which the vehicles work during their use. They are rated for continuous use and are available in a range of sizes for mounting either in front or behind the radiator (suction or blowing). All housings have four integral 6.5mm mounting holes with other mounting options available.



or: Blowers)	ounting in front of Radiate	(For Mo	MLINE	SLII			
Part number	Application/ for engine size up to	Voltage	Weight kg	Current Draw amps	Air Flow cu m/hr	Depth	Fan Diameter
081.500	Oil cooler	12V	1.1	6.9	450	59mm	6"
081.501	Oil cooler	12V	1.1	5.8	600	53mm	7.5"
081.502		12V	1.2	7.0	1130	53mm	9"
081.503	1700cc	12V	1.2	7.1	1520	55mm	10"
081.504		12V	1.2	7.7	1650	53mm	11"
081.505	4200cc	12V	1.3	7.2	1860	56mm	12"
tor: Blowers)	ounting in front of Radia	(For M	I POWER	HIGH			
081.731		12V	1.9	9.1	2300	59.5mm	14"
081.733		12V	2.2	9.5	2920	80mm	15.2"
or: Suckers)	Mounting behind Radiato	(For l	MLINE	SLI			
Part number	Application/ for engine size up to	Voltage	Weight kg	Current Draw amps	Air Flow cu m/hr	Depth	Fan Diameter
081.510	Oil cooler	12V	1.1	7.8	560	59mm	6"
081.511	Oil cooler	12V	1.1	5.9	700	53mm	7.5"
081.512		12V	1.2	7.6	1180	53mm	9"
081.513	1700cc	12V	1.2	7.3	1580	55mm	10"
081.514		12V	1.2	7.9	1620	53mm	11"
081.515	4200cc	12V	1.3	7.1	1890	56mm	12"
or: Suckers)	Mounting behind Radiate	(For	I POWER	HIGH			
		12V	1.9	9.6	2540	69.5mm	14"
081.730							
081.730 081.732		12V	2.2	9.9	3030	80mm	15.2"

**WINTAGE & CLASSIC



HEATERS & ELECTRIC

WIRING

LIGHTING

SWITCHES

FANS

BODY

HARDWARE BRAKES &

SUSPENSION CLUTCH KITS

EXHAUSTS

FIXINGS

FUEL SYSTEMS & FILTERS

MIRRORS

POWER STEEDING

STEERING SEATS &

SEAT BELTS
WASHERS &

WIPERS

OIL & AIR

FILTERS

CARE & STORAGE

OIL, GREASE & FLUIDS

PAINT & ANTI-RUST

DOLS

f





REVOTEC COMPLETE BESPOKE COOLING KITS

*Simple to fit with no special tools

*No permanent modifications

*Supplied complete with all necessary fixings.



ENGINEERED TO FIT AND COOL YOUR CLASSIC CAR

Supplied complete with COMEX electric fan(s), all necessary brackets, fixings, hose clips and connectors to provide a complete installation on your car. OEM components used throughout. They fit with basic hand tools, without permanent modifications except for the need to cut radiator hoses to fit the electronic fan controller. The latest fan and controller technology are used together for the ultimate cooling package.

All kits include:

• Fan(s)

LIGHTING

SWITCHES

IGNITION

WIRING

HEATERS &

ELECTRIC

ACCESSORIES

HARDWARE

BRAKES &

SUSPENSION

CLUTCH KITS

FIXINGS

FUEL

SYSTEMS &

MIRRORS

POWER

STEERING

SEATS &

SEAT BELTS

WASHERS &

WIPERS

OIL & AIR

STORAGE

OIL, GREASE

& FLUIDS

PAINT 8

ANTI-RUST

FANS

BODY

- Fan Mounting Solutions e.g. Brackets, Shroud or *Pull Through kit
- Revotec electronic controller, hose clamps & adjustment tool
- · Earth and fan connector wire kit
- All necessary bolts & fixings
- Fitting Instructions.



AUSTIN HEALEY 3000

Kit contains: 14" COMEX high power blowing fan, Laser cut fan mounting brackets & 32mm Revoted electronic fan controlle

081.676 Negative Earth 081.710 Positive Earth



DAIMLER V8 250

Kit contains: 14" COMEX high power blowing fan, laser cut fan mounting brackets & 38mm Revotec electronic fan controller

081.679 Negative Earth 081.712 Positive Earth



AUSTIN HEALEY 100/4

Kit contains: 11" COMEX high power blowing fan. laser cut fan mounting brackets & 32mm Revotec electronic fan controller

081.677 Negative Earth 081.709 Positive Earth



DAIMLER DART

Kit contains: 12" COMEX high power suction fan, laser cut fan mounting brackets & 38mm Revotec electronic fan controller


081.678 Negative Earth 081.711 Positive Earth



FORD ESCORT MK2 12"

Kit contains: 12" COMEX blowing fan, laser cut fan mounting brackets & 32mm Revotec electronic fan

081.682 Blowing



FORD ESCORT MK2 12"

Kit contains: 12" COMEX suction fan, laser cut fan mounting brackets & 32mm Revotec electronic fan

081.683 Suction



FORD ESCORT MK2 10"

Kit contains: 10" COMEX blowing fan, laser cut fan mounting brackets & 32mm Revotec electronic fan

081.680 Blowing



FORD ESCORT MK2 10"

Kit contains: 10" COMEX suction fan, laser cut fan mounting brackets & 32mm Revotec electronic fan

081.681 Suction



FORD CORTINA

Kit contains: 12" COMEX suction fan, laser cut fan mounting brackets & 32mm Revotec Electronic fan controlle

081.684



JAGUAR E TYPE SERIES 1

Kit contains: 15" COMEX high power suction fan, laser cut fan mounting brackets & 38mm Revotec

081.300



JAGUAR E-TYPE SERIES 2

Kit contains: 2 x 10" COMEX high power Suction fans, laser cut fan shroud & 38mm Revotec

081.685 Negative Earth



JAGUAR E-TYPE SERIES 3

Kit contains: 2 x 12" COMEX high power suction fans, laser cut fan shroud & 35mm Revotec electronic fan controller

081.686 Negative Earth



JAGUAR S-TYPE

Kit contains: 15.2" COMEX high power blowing fan, laser cut fan mounting brackets & 38mm Revotec electronic fan controller

081.687 Negative Earth 081.714 Positive Earth



JAGUAR XK120

Kit contains: 14" COMEX high power blowing fan, pull through kit mounts & 38mm Revotec electronic

081.688 Negative Earth 081.716 Positive Earth



JAGUAR XK140

Kit contains: 14" COMEX high power suction fan, laser cut fan mounting brackets & 38mm Revotec electronic fan controller

081.689 Negative Earth 081.717 Positive Earth





LIGHTING

SWITCHES

IGNITION

HEATERS & ELECTRIC FANS

ACCESSORIES

BODY HARDWARE

BRAKES & SUSPENSION

CLUTCH KITS EXHAUSTS

FIXINGS

FUEL SYSTEMS & FILTERS

MIRRORS

POWER STEERING

SEATS & SEAT BELTS

WIPERS OIL & AIR

WASHERS &

FILTERS CARE & STORAGE

OIL, GREASE & FLUIDS

PAINT & ANTI-RUST









IGNITION

WIRING

HEATERS & ELECTRIC FANS

ACCESSORIES

BOD) HARDWARE

BRAKES & SUSPENSION

CLUTCH KITS

FIXINGS

FUEL SYSTEMS &

MIRRORS

POWER STEERING

SEATS & SEAT BELTS

WASHERS & WIPERS

OIL & AIR

CARE & STORAGE

OIL, GREASE & FLUIDS

> PAINT & ANTI-RUST



JAGUAR XK150

Kit contains: 15.2" COMEX high power suction fan, laser cut fan mounting brackets & 38mm Revotec electronic fan controller

081.690 Negative Earth 081.718 Positive Earth



LAND ROVER SERIES 3 V8

Kit contains: 2x 12" COMEX high power suction fans, laser cut fan mounting brackets & 35mm Revotec electronic fan controller designed for Land Rovers with an extended loom

081.693



LAND ROVER DEFENDER/DISCOVERY 200/300 TDI

Kit contains: 15.2" COMEX high power suction fan, laser cut fan mounting brackets & 35mm Revotec electronic fan controller designed for Land Rovers with an extended loom



JAGUAR MKII

Kit contains: 15.2" COMEX high power blowing fan, laser cut fan mounting brackets & 38mm Revotec electronic fan controller

081.691 Negative Earth 081.715 Positive Earth



LAND ROVER SERIES 2/2A/3

Kit contains: 14" COMEX high power blowing fan, laser cut fan mounting brackets, & 35mm Revotec electronic fan controller

081.692



LAND ROVER 90/110

Kit contains: 15.2" COMEX high power suction fan, laser cut fan mounting brackets & 35mm Revotec electronic fan controller designed for Land Rovers with an extended loom Fitment: 2.5 Petrol 2.5 Diesel 2.5 TD

081.694



LAND ROVER 90/110 V8

Kit contains: 2 x 12" COMEX high power suction fans, laser cut fan mounting brackets & 35mm Revotec electronic fan controller designed for Land Rovers with an extended loom



LAND ROVER DISCOVERY/ **DEFENDER TD5**

Kit contains: 15.2" COMEX high power suction fan, laser cut fan mounting brackets, & 35mm Revotec electronic fan controller designed for Land Rovers with an extended loom



RANGE ROVER P38

Kit contains: 15.2" COMEX high power suction fan, laser cut fan mounting brackets & 35mm Revotec electronic fan controller designed for Land Rovers with an extended loom

081.699 Diesel Only **081.698** Petrol Only



LOTUS ELAN LATE S3 & PLUS 2 TWIN FAN (WIDE RADIATOR ONLY)

Kit contains: 2 x 9" COMEX high power blowing fans, laser cut fan mounting brackets & 32mm Revotec electronic fan controller

081.700



LOTUS ELAN S4 & PLUS 2S (NARROW RADIATOR ONLY)

Kit contains: 10" COMEX high power blowing fan, laser cut fan mounting brackets & 32mm Revotec electronic fan controller

081.701



SWITCHES IGNITION

WIRING

HEATERS &

ACCESSORIES

HARDWARE

BRAKES &

SUSPENSION **CLUTCH KITS**

EXHAUSTS

FIXINGS

FUEL

SYSTEMS & FILTERS

MIRRORS

POWER

STEERING

SEATS &

SEAT BELTS

WASHERS &

WIPERS

OIL & AIR **FILTERS**

CARE &

STORAGE

OIL, GREASE

& FLUIDS

PAINT &

ANTI-RUST

BODY

ELECTRIC

MGA

Kit contains: 10" COMEX high power blowing fan, laser cut fan mounting brackets & 28mm Revotec electronic fan controller

081.719 Positive Earth 081.301 Negative Earth



MGB CHROME BUMPER 1962-76

Kit contains: 10" COMEX high power blowing fan, laser cut fan mounting brackets & 28mm Revotec electronic fan controller

081.720 Positive Earth 081.302 Negative Earth

MGB RUBBER BUMPER 1976-80

Kit contains: 12" COMEX suction fan, laser cut fan mounting brackets & 28mm Revotec electronic fan controller

081.304



MGB V8

Kit contains: 2 x 9" COMEX suction fans, laser cut fan mounting brackets & 35mm Revotec electronic fan controller

081.305





Kit contains: 2 x 10" COMEX high power suction fans, laser cut fan mounting brackets & 35mm Revotec electronic fan controller

081.702



*MG MIDGET & AUSTIN HEALEY SPRITE 948/1098/1275

VERTICAL FLOW RADIATOR For use with 948, 1098 & 1275cc cars with vertical

flow radiators up to 1968. Kit contains: 9" Sucking Fan, pull through kit mounts & 25mm Revotec electronic fan controller

081.306 Negative Earth 081.722 Positive Earth



MG MIDGET &AUSTIN HEALEY SPRITE 1275 X FLOW

Kit contains: 9" COMEX blowing fan, laser cut mounting brackets & 25mm Revotec fan controller

081.307 Negative Earth 081.723 Positive Earth













REVOTEC ELECTRIC RADIATOR FANS

LIGHTING

SWITCHES IGNITION

HEATERS &

WIRING

ELECTRIC FANS

ACCESSORIES

BODY HARDWARE

BRAKES & SUSPENSION

CLUTCH KITS EXHAUSTS

FIXINGS

FUEL SYSTEMS & FILTERS

MIRRORS

POWER STEERING

SEATS & SEAT BELTS

WASHERS &

WIPERS OIL & AIR

CARE & STORAGE

OIL, GREASE & FLUIDS

> PAINT 8 ANTI-RUST



MG MIDGET 1500

Kit contains: 9" COMEX blowing fan, laser cut mounting brackets & 32mm Revotec fan controller **081.739** Negative Earth

081.309



CLASSIC MINI WITH SIDE MOUNTED RADIATOR

Kit contains: 9" COMEX suction fan, laser cut fan mounting brackets & self-seal fitting Revotec electronic fan controller



MORRIS MINOR

Kit contains: 9" COMEX suction fan, laser cut fan mounting brackets & 25mm Revotec Electronic fan

081.310

081.721 Positive Earth



TRIUMPH GT6

Kit contains: 11" COMEX suction fan, laser cut fan mounting brackets & 32mm Revotec electronic fan

081.311



TRIUMPH HERALD

Kit contains: 9" COMEX suction fan, laser cut stainless steel fan mounting brackets & 28mm Revotec electronic fan controller

081.312 Negative Earth

081.726 Positive Earth



TRIUMPH SPITFIRE (22" WIDE RADIATOR ONLY)

Kit contains: 9" COMEX suction fan. laser cut fan mounting brackets & 32mm Revotec electronic fan controller

081.314 Negative Earth

081.725 Positive Earth



TRIUMPH SPITFIRE (16" NARROW RADIATOR ONLY)

Kit contains: 10" COMEX high power blowing fan,

laser cut fan mounting brackets & 32mm Revotec electronic fan controller

0

081.704



TRIUMPH STAG

Kit contains: 15" COMEX high power blowing fan, laser cut fan mounting brackets and 32mm Revotec electronic fan controller



TRIUMPH DOLOMITE SPRINT

Kit contains: 11" COMEX high power suction fan, laser cut fan mounting brackets and 32mm Revotec electronic fan controller

081.741 Negative Earth



TRIUMPH TR2-4

Kit contains: 11" COMEX suction fan, laser cut fan mounting brackets and 35mm Revotec electronic fan controller

081.315 Negative Earth 081.727 Positive Earth



TRIUMPH TR4A

Kit contains: 14" COMEX high power suction fan, laser cut fan mounting brackets and 35mm Revotec electronic fan controller

081.316 Negative Earth **081.728** Positive Earth



LIGHTING

SWITCHES

IGNITION

WIRING

HEATERS &

ACCESSORIES

HARDWARE

BRAKES &

SUSPENSION

CLUTCH KITS

EXHAUSTS

FIXINGS

FUEL

SYSTEMS &

FILTERS

MIRRORS

POWER

STEERING

SEATS &

SEAT BELTS

WASHERS &

WIPERS

OIL & AIR

FILTERS

CARE &

STORAGE

OIL, GREASE

& FLUIDS

PAINT &

ANTI-RUST

ELECTRIC

FANS

BODY

TRIUMPH TR4A BLOWING

Kit contains: 14" COMEX high power blowing fan, laser cut fan mounting brackets and 35mm Revotec electronic fan controller

081.705 Negative Earth 081.729 Positive Earth



TRIUMPH TR5 AND TR6

Kit contains: 14" COMEX high power suction fan, laser cut fan mounting brackets and 32mm Revotec electronic fan controller

081.317



TRIUMPH TR5-6 BLOWING

Kit contains: 14" COMEX high power blowing fan, laser cut fan mounting brackets and 35mm Revotec electronic fan controller

081.706




TRIUMPH TR7

Kit contains: 14" COMEX high power blowing fan, laser cut fan mounting brackets and 32mm Revotec electronic fan controller

081.707



Kit contains: 14" COMEX high power blowing fan, laser cut fan mounting brackets and 38mm Revotec electronic



mounting brackets and 32mm Revotec electronic fan



TRIUMPH SPITFIRE 22" WIDE RADIATOR SUCTION



TRIUMPH SPITFIRE 16" NARROW RAD Triumph Spitfire 16" Narrow RAD Revotec Fan Kit

081.724 Negative Earth

WWW.HOLDEN.CO.UK

MVINTAGE & CLASSIC





COMEX COOLING FANS

UNIVERSAL FAN FITTING ACCESSORIES

UNIVERSAL BRACKETS

Laser cut brackets enabling simple and easy fitting of radiator mounting.

Supplied in pairs complete with fan to bracket fixing kit. Leg length approximately 200mm.

UNIVERSAL BRACKETS				
Fan Diameter		Part Number		
7.5"	190mm	081.525		
9"	225mm	081.526		
10"	280mm	081.527		
11"	305mm	081.528		
12"	330mm	081.529		

FAN PULL THROUGH KITS

Pull Through Kits are an ideal quick fix solutions. Perfect for Motorsport applications or for fans under 12".

081.520

MIRRORS POWER STEERING

SEAT BELTS WASHERS &

LIGHTING

SWITCHES

IGNITION

WIRING

HEATERS &

ELECTRIC

ACCESSORIES

FANS

RODY HARDWARE

BRAKES &

SUSPENSION

CLUTCH KITS

FIXINGS

FUEL

SYSTEMS &

WIPERS OIL & AIR

STORAGE

OIL, GREASE & FLUIDS

PAINT & ANTI-RUST

any Revotec / COMEX fan. Simply bend or cut and fix to

UNIVERSAL BRACKETS				
Fan Diameter		Part Number		
7.5"	190mm	081.525		
9"	225mm	081.526		
10"	280mm	081.527		
11"	305mm	081.528		
12"	330mm	081.529		

Each kit is supplied with: 4x Pull Throughs, 4x 3mm Rubber Washers, 4x Foam Pads & 4x Push on Buttons





EARTH & FAN CONNECTOR KIT

EARTH



Makes terminating a Revotec fan easy. Each kit is supplied with: 1m of black 1.5mm cable, male fan terminal, cable ties and all crimps required

INLINE FUSE

Individual fuse holder, accepts blade fuses. With built-in LED which glows when the fuse has blown. Also fitted with a lid to prevent water ingress

081.542



3 Way rotary switch for use with a Revotec electronic fan controller enabling the fan to be manually controlled from inside the car. Either set as On, Off or Automatic. Supplied with: black anodised mounting bracket kit, sealed 3 metre wiring loom and wiring diagram



2 WAY CLASSIC SMITHS STYLE TOGGLE OVERRIDE SWITCH

2 way Classic Smiths Style Toggle switch for use with a Revotec Fan Controller enabling the fan to be manually controlled either On or Automatic. Allowing you to override your controller

2 WAY JAGUAR STYLE TOGGLE OVERRIDE SWITCH

2 way Jaguar style toggle switch for use with a Revotec Fan Controller enabling the fan to be manually controlled either on or automatic. Allowing you to override your controller




THERMOSTATIC FAN CONTROL

An adjustable thermostatic fan control specially made to control all 12 volt fans. Made from billet aluminium, it fits into your radiator hose and is secured with two

hose clips ensuring a perfect seal. Latest surface mount sensor with no mechanical parts to wear or fail. Simply adjusted with a screwdriver to bring in the radiator fan between 70 and 120°C. Supplied with 2 hose clamps, 30 amp relay, cap, 3 cable ties, 1 x self tapping screw and fitting instructions

For hose diameter	Part No.
28mm Negative Earth	080.870
32mm Negative Earth	080.871
35mm Negative Earth	080.872
38mm Negative Earth	080.873
28mm Positive Earth	081.541
32mm Positive Earth	081.542
35mm Positive Earth	081.543
38mm Positive Earth	081.544



FREE FITTING TEMPLATE

Holden are pleased to offer a FREE Revotec Fan fitting template. Simply use a pair of scissors to cut around the desired size and hold to your radiator for an accurate fitting guide. A2 in size. To order email: sales@holden.co.uk

ELECTRIC RADIATOR FANS

SLIMLINE ELECTRIC FANS



A series of budget 12 volt slimline electric fans for fitting to the front (blowers) or to the rear (suckers) of your radiator to provide cooling. Supplied with a variety of adaptors and instructions to enable you to fit the fan to your car. (A switch or thermostatic control are not included).

For 12 volt negative earth only. Made in China

Size	Part No.
9" Blower for engines up to 1200cc	080.900
10" Blower for engines up to 2000cc	080.901
12" Blower for engines over 2000cc	080.902
9" Sucker for engines up to 1200cc	080.905
10" Sucker for engines up to 2000cc	080.906
12" Sucker for engines over 2000cc	080.907



RADIATOR FAN FITTING KIT Comprises 4 pull throughs and fixings,

also a selection of mounting brackets. Apart from providing spares, this Kit enables you to transfer your electric an from one car to another



THERMOSTATIC FAN CONTROL FOR RADIATOR FANS

This switch is for mounting in the top hose and allows you to set the temperature at which the fan comes on. It includes a probe which you fit inside the end of the top hose. Full instructions are included

080.909





IGNITION WIRING

LIGHTING

SWITCHES

HEATERS & ELECTRIC FANS

ACCESSORIES

BODY HARDWARE

BRAKES & SUSPENSION **CLUTCH KITS**

EXHAUSTS

FIXINGS

FUFI SYSTEMS & FILTERS

MIRRORS

POWER STEERING

SEAT BELTS

WASHERS & WIPERS

OIL & AIR **FILTERS**

CARE & STORAGE

OIL, GREASE & FLUIDS

PAINT & ANTI-RUST

+44 (0) 1885 488 488











